

2005 年度共同利用成果

<SQUID (片平) >

- D. X. Li, T. Yamamura, S. Nimori, K. Yubuta, and Y. Shiokawa, “Spin-glass Behavior in CeCu₂-type Uranium Compound U₂AuGa₃”, Appl. Phys. Lett. 87 (2005) 142505.
- D. X. Li, S. Nimori, Y. Homma, Y. Shiokawa, A. Tobo, H. Onodera, Y. Haga, and Y. Onuki, “Short-range Magnetic Correlation with Kondo-lattice Behavior in Ce₃Ir₂Ge₂ and Superconductivity in La₃Ir₂Ge₂”, J. Appl. Phys. 97 (2005) 073903.
- D. X. Li, S. Nimori, Y. Shiokawa, “AC Susceptibility and Specific Heat of UAuAl”, Physica B, 359-361 (2005) 1114.
- J. J. Kim, H. Makino, M. Sakurai, D. C. Oh, T. Hanada, M. W. Cho, T. Yao, S. Emura, and K. Kobayashi, “Structure and magnetic properties of Cr-doped GaN”, J. Vac. Sci. Technol. B 23, (2005) 1308-1312.
- M. Kikuchi, K. Tsukagoshi, T. Atou, E. Ohshima, H. Faqir, K. Fukuoka, T. Nojima, S. Itou, K. Watanabe, Y. Syono, “Ag injection to Bi₂Sr₂CaCu₂O_y superconductor by shock-loading”, J. Physique IV 123 (2005) 145-149.
- H. Kezuka, K. Yamagata, M. Itoh, T. Suzuki, M. Kikuchi, T. Atou, M. Kawasaki, K. Fukuoka, “Characterizations of the surfaces of shocked-Bi-Pb-Sr-Ca-Cu-O particles for a magnetic sensor”, J. Vac. Sci. Technol. A23(4) (2005) 1010-1012.
- Nojiri, H; Ishikawa, E; Yamase, “T Effect of spin chirality on magnetization in triangular rings” Prog. Theor. Phys. Suppl. (2005) 292-296.
- M. Fujita, H. Goka, T. Adachi, Y. Koike and K. Yamada, “Neutron scattering study on stripe correlations in La_{2-x}Ba_xCuO₄”, Physica C 426-431, (2005) 257.
- A. Hino, M. Fujita, I. Watanabe and K. Yamada, “Impurity effects on spin correlations in electron-doped Pr_{1-x}LaCe_xCu_{1-y}Zn_yO₄ by a μ SR study”, Physica C 426-431, (2005) 309.
- H. Miki et al., “Superconductivity in W-containing diamond-like nanocomposite films” *Diamond and Related Materials*, Vol.15, pp.1898-1901, 2006.
- H. Okada, K. Koyama and K. Watanabe, “Transport, Magnetic, Thermal and Structural Properties of the Spinel Compound CuTi₂S₄”, J. Alloys Comp. 403 (2005) 34-37.
- Y. Taguchi, T. Miyake, S. Margadonna, K. Kato, K. Prassides, Y. Iwasa, “Synthesis, structure, and magnetic properties of Li-doped manganese-phthalocyanine, Li-x[MnPc] (0 ≤ x ≤ 4)”, J. Am. Chem. Soc. 128 (10) (2006) 3313-3323.

- M. Hisakabe, Y. Taguchi, Y. Ohishi, S. Yamanaka, Y. Iwasa, “Anomalously large electron-phonon coupling constant in layered nitride superconductors as revealed by high-pressure experiments”, *Physica C* 426: (2005) 482-486.
- Y. Taguchi, M Hisakabe, Y. Iwasa, “Specific heat measurement of the layered nitride superconductor Li_xZrNCl ”, *Phys. Rev. Lett* 94 (21) (2005) 217002.
- K. Kudo, Y. Miyoshi, T. Sasaki, N. Kobayashi, “Hole-doping and magnetic-field effects on the pseudogap in $\text{Bi}_{1.74}\text{Pb}_{0.38}\text{Sr}_{1.88}\text{CuO}_{6+\delta}$ studied by the out-of-plane resistivity”, *Physica C* 426-431 (2005) 251-256.
- Y. Tanabe, T. Adachi, T. Noji, Y. Koike, “Superconducting volume fraction in overdoped regime of $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$: Implication for phase separation from magnetic susceptibility measurement”, *J. Phys. Soc. Jpn* 74 (2005) 2893.
- Y. Tanabe, T. Adachi, T. Noji, H. Sato, Y. Koike, “Correlated decrease between the superconducting volume fraction and T_c and possible phase separation in the overdoped regime of $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ ”, *Proceedings of 24th International Conference on Low Temperature Physics (LT24)*, 2005. 8. 10-17, Orlando, Florida, USA, AIP Conference Proceedings, in press.
- T. Adachi, Y. Tanabe, T. Noji, H. Sato, Y. Koike, “Possible phase separation in the overdoped regime of $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ ”, *Proceedings of 18th International Symposium on Superconductivity (ISS2005)*, 2005. 10. 24-26, Tsukuba, Japan, *Physica C*, in press.
- J. Ju, J. Sasaki, T. Yang, S. Kasamatsu, E. Negishi, G. Li, J. Lin, H. Nojiri, T. Rachi, K. Tanigaki, N. Toyota, “Ferromagnetic ordering in a new nickel polyborate $\text{NiB}_{12}\text{O}_{14}(\text{OH})_{10}$ ”, *DALTON TRANSACTIONS* (13) (2006) 1597-1601.
- J. Ju, J. Sasaki, S. Kasamatsu, G. Li, J. Lin and N. Toyota, “Metamagnetic phase transition in a new transition metal polyborate, $\text{CoB}_{12}\text{O}_{14}(\text{OH})_{10}$ ”, *J. Phys.: Conf. Ser.* 51 (2006) 363-366.
- G. Li, L. You, W. Wei, Y. Lu, J. Ju, A. Wannberg, H. Rundlof, X. Zou, T. Yang, S. Tian, F. Liao, N. Toyota, J. Lin, “ $\text{La}_4\text{Cu}_{3-x}\text{Zn}_x\text{MoO}_{12}$: Zinc-doped cuprates with Kagome lattices”, *J. Am. Chem. Soc.* 127 (40) (2005) 14094-14099.
- S. Tani, H. Inoue, T. Suzuki, S. Hosoya, K. Inokuchi, T. Fujiwara, T. Goto, H. Tanaka, T. Sasaki, S. Awaji, K. Watanabe and N. Kobayashi, “Cu-NMR Study on Field-Induced Phase Transitions in Quantum Spin Magnet NH_4CuCl ”, *Prog. Theor. Phys. Suppl.* 159 (2005) 235-240.
- T. Goto, M. Ueda, H. Sumikawa, T. Suzuki, M. Fujita, K. Yamada, T. Adachi, and Y. Koike, “Buckling of the CuO_2 Plane in Single Crystals of La-Based High- T_c Cuprates Observed by NMR”, *AIP Conference Proceedings* 850 (LT24 2005, Florida) 421-422.
- J. Tonishi, T. Suzuki, and T. Goto, “Anomalous Change of Hall Coefficient in Overdoped $\text{La}_{2-x}\text{Sr}_x\text{Cu}_{1-y}\text{Zn}_y\text{O}_4$ around $x=0.2$ ”, *AIP Conference Proceedings* 850 (LT24 2005, Florida) 407-408.

- T. Suzuki, T. Ota, J. Tonishi, and T. Goto, "Increase of the Sound Velocity by Magnetic Fields in $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ around $x=0.220$ ", AIP Conference Proceedings 850 (LT24 2005, Florida) 409-410.
- H. Inoue, S. Tani, S. Hosoya, T. Suzuki, T. Goto, H. Tanaka, T. Sasaki, and N. Kobayashi, " ^2D , $^{35/37}\text{Cl}$, $^{63/65}\text{Cu}$ -NMR Study of the Quantum Spin System NH_4CuCl_3 ", AIP Conference Proceedings 850 (LT24 2005, Florida) 1061-1062.
- T. Issiki, H. Maruyama, N. Kimura, T. Nojima, A. Ochiai, H. Aoki, "dHvA effect and superconductivity of MgB_2 detected by AC torque method down to the fields below H_{c2} ", Physica C 417 (2005) 110-118.

<SQUID(青葉山)>

- J. Ju, J. Sasaki, T. Yang, S. Kasamatsu, E. Negishi, G. Li, J. Lin, H. Nojiri, T. Rachi, K. Tanigaki, N. Toyota, "Ferromagnetic ordering in a new nickel polyborate $\text{NiB}_{12}\text{O}_{14}(\text{OH})_{10}$ ", DALTON TRANSACTIONS (13) (2006) 1597-1601.
- J. Ju, J. Sasaki, S. Kasamatsu, G. Li, J. Lin and N. Toyota, "Metamagnetic phase transition in a new transition metal polyborate, $\text{CoB}_{12}\text{O}_{14}(\text{OH})_{10}$ ", J. Phys.: Conf. Ser. 51 (2006) 363-366.
- G. Li, L. You, W. Wei, Y. Lu, J. Ju, A. Wannberg, H. Rundlof, X. Zou, T. Yang, S. Tian, F. Liao, N. Toyota, J. Lin, " $\text{La}_4\text{Cu}_{3-x}\text{Zn}_x\text{MoO}_{12}$: Zinc-doped cuprates with Kagome lattices", J. Am. Chem. Soc. 127 (40) (2005) 14094-14099.
- T. Rachi, H. Yoshino, R. Kumashiro, M. Kitajima, K. Kobayashi, K. Yokogawa, K. Murata, N. Kimura, H. Aoki, H. Fukuoka, S. Yamanaka, H. Shimotani, T. Takenobu, Y. Iwasa, T. Sasaki, N. Kobayashi, Y. Miyazaki, K. Saito, F. Z. Guo, K. Kobayashi, K. Osaka, K. Kato, M. Takata and K. Tanigaki, "Superconductivity and physical properties of $\text{Ba}_{24}\text{Si}_{100}$ determined from electric transport, specific-heat capacity, and magnetic susceptibility measurements", Phys. Rev. B, 72 (2005) 144504.
- M. Akada, T. Hirai, J. Takeuchi, N. Hiroshiba, R. Kumashiro, T. Yamamoto and K. Tanigaki, "Superconducting phase made from C_{60} doped with La", Phys. Rev. B, 72 (2005) 132505.
- T. Rachi, M. Kitajima, K. Kobayashi, F. Z. Guo, T. Nakano, Y. Ikemoto, K. Kobayashi and K. Tanigaki, "Soft x-ray spectroscopy of $\text{Ba}_{24}\text{Ge}_{100}$: Electronic phase transition and Ba-atom rattling", J. Chem. Phys., 123 (2005) 18359225.
- N. Kimura, M. Endo, T. Isshiki, A. Ochiai, H. Aoki, T. Terashima, S. Uji, T. Matsumoto and G. G. Lonzarich, "Observation of two distinct magnetic states in ZrZn_2 via the dHvA effect under pressure", Physica B 359 (2005) 1189.
- H. Aoki, N. Kimura and T. Terashima, "Superconductivity, Metamagnetism and Non-Fermi Liquid: the Kaleidoscope of Quantum Critical Point - a Topic of Condensed Matter Physics", Proceedings of International conference on Materials Engineering for Resources (2005) 207.

- Matsumura, D. Okuyama, N. Oumi, K. Hirota, H. Nakao, Y. Murakami and Y. Wakabayashi, “ d-f Coulomb and quadrupole-strain interactions in DyB₂C₂ observed by resonant x-ray scattering” T. Phys. Rev. B 71, 012405-1-4, (2005).
- K. Ishii, T. Inami, K. Ohwada, K. Kuzushita, J. Mizuki, Y. Murakami, S. Ishihara, Y. Endoh, S. Maekawa, K. Hirota, Y. Moritomo , “Electronic excitation in hole-doped La_{1-x}Sr_xMnO₃ studied by resonant inelastic x-ray scattering”, J. Phys. Chem. Solids 66 (2005) 2157-2162.
- M. Dumm, B. Gorshunov, M. Dressel and T. Matsumura, “Mobility gap in intermediate valent TmSe”, Europhys. Lett. 72 (2005) 103-109.
- K. Ishii, K. Tsutusi, Y. Endoh, T. Tohyama, S. Maekawa, M. Hoesch, K. Kuzushita, M. Tsubota, T. Inami, J. Mizuki, Y. Murakami and K. Yamada , “Momentum Dependence of Charge Excitations in the Electron-Doped Superconductor Nd_{1.85}Ce_{0.15}CuO₄: A Resonant Inelastic X-Ray Scattering Study”, Phys. Rev. Lett. 94 (2005) 207003.
- T. Matsumura, D. Okuyama, N. Oumi, K. Hirota, H. Nakao, Y. Murakami and Y. Wakabayashi, “Multipole Tensor Analysis of the Resonant X-ray Scattering by Quadrupolar and Magnetic Order in DyB₂C₂”, J. Phys. Soc. Jpn. 74 (2005) 1500-1507.
- D. Okuyama, T. Matsumura, H. Nakao, Y. Murakami, H. Onodera, A. Tobo, Y. Wakabayashi and H. Sawa , “Periodic Arrangement of Quadrupolar Moments Induced by the Antiferromagnetic Order in TbB₂C₂: Observation by Resonant X-ray Scattering”, J. Phys. Soc. Jpn. 74 (2005) 1566-1571.
- P. Fischer, K. Iwasa, K. Kuwahara, M. Kohgi, T. Hansen, and S. Kunii , “Powder neutron diffraction studies of structure and magnetic Ce ordering in the strongly correlated electron compound Ce_{0.75}La_{0.25}¹¹B₆”, Phys. Rev. B 72 (2005) 014414.
- D. Okuyama, T. Matsumura, H. Nakao and Y. Murakami, “Quadrupolar Frustration in Shastry-Sutherland Lattice of DyB₄ Studied by Resonant X-ray Scattering”, J. Phys. Soc. Jpn. 74 (2005) 2434-2437.
- K. Iwasa, L. Hao, T. Hasegawa, T. Takagi, K. Horiuchi, Y. Mori, Y. Murakami, K. Kuwahara, M. Kohgi, H. Sugawara, ShantaRanjanSaha, Y. Aoki and H. Sato, “Role of p-f Hybridization in the Metal-Nonmetal Transition of PrRu₄P₁₂”, J. Phys. Soc. Jpn. 74 (2005) 1930-1933.
- I. Jarrige, H. Ishii, Y. Q. Cai, J. -P. Rueff, C. Bonnelle, T. Matsumura and S. R. Shieh, “Valence state of Tm in TmX (X=S, Se, Te) investigated by resonant inelastic x-ray scattering”, Phys. Rev. B 72 (2005) 075122.
- J. -M. Mignot, I. N. Goncharenko, T. Matsumura and T. Suzuki, “Magnetic phase diagram of the mixed-valence semiconductor TmSe under multi-extreme (P, H, T) conditions”, Physica B 359-361 (2005) 105-107.
- M. Kohgi, K. Iwasa, J. -M. Mignot, A. Hiess, A. Ochiai and H. Aoki, “Quantum spin excitations in Yb₄As₃ under magnetic field”, Physica B 359-361 (2005) 1436-1438.

- K. Kuwahara, R. Yamamoto, M. Kohgi, H. Nakao, K. Ishii, K. Iwasa, Y. Murakami, S. Kunii, H. Sagayama, Y. Wakabayashi and H. Sawa, "Resonant and non-resonant x-ray scattering from GdB₆", *Physica B* 359-361 (2005) 965-967.
- M. Sakata, A. Tobo, T. Matsumura, D. Okuyama, Y. Murakami, Y. Wakabayashi, H. Sawa, K. Ohoyama and H. Onodera, "Resonant x-ray scattering on antiferroquadrupolar ordering compound Dy_{0.8}Gd_{0.2}B₂C₂", *Physica B* 359-361 (2005) 950-952.
- J.-G. Park, D.T. Adroja, K.A. McEwen, M. Kohgi and K. Iwasa, "Spin dynamics of quadrupole-ordered PrFe₄P₁₂", *Physica B* 359-361 (2005) 868-870.
- T. Inami, K. Ohwada, Y. H. Matsuda, Y. Ueda, H. Nojiri, Y. Murakami, T. Arima, H. Ohta, W. Zhang and K. T. Yoxhimura, "X-ray diffraction experiments under pulsed magnetic fields above 30 T", *Nuclear Instruments and Methods in Physics Research B* 238 (2005) 233-236.
- Kaihei Ido, Aya Tobo, Koji Kaneko, Kenji Ohoyama and Hideya Onodera, "Anisotropy in Magnetic Phase Diagram of TbB₂C₂ with Field-Induced Antiferroquadrupolar Order", *J. Phys. Soc. Jpn.* 74 (2005) 3382.
- Masami Haino, Aya Tobo and Hideya Onodera, "Y-dilution Effects on Magnetic Properties of Anomalous Antiferromagnet TbB₂C₂" *J. Phys. Soc. Jpn.* 74 (2005) 1838.
- 岩佐和晃, 神木正史, "重い電子状態を示す Pr 充填スクツテルダイトにおける四極子秩序" *中性子科学会誌「波紋」* 13 (2005) 120-123.

<VSM>

- K. Koyama, T. Kanomata, T. Matsukawa and K. Watanabe, "Magnetic field effect on structural property of MnFeP_{0.5}As_{0.5}", *Mater. Trans.* 46 (2005) 1753-1756.
- Kaihei Ido, Aya Tobo, Koji Kaneko, Kenji Ohoyama and Hideya Onodera, "Anisotropy in Magnetic Phase Diagram of TbB₂C₂ with Field-Induced Antiferroquadrupolar Order", *J. Phys. Soc. Jpn.* 74 (2005) 3382.
- Masami Haino, Aya Tobo and Hideya Onodera, "Y-dilution Effects on Magnetic Properties of Anomalous Antiferromagnet TbB₂C₂" *J. Phys. Soc. Jpn.* 74 (2005) 1838.
- T. Nishizaki, M. Maeda, T. Sato, and N. Kobayashi, "Vortex Phase Diagram in Impurity Doped YBa₂Cu₃O_y Single Crystals" *Physica C* 426-431 (2005) 18-22.
- H. Shima, K. Oikawa, A. Fujita, K. Fukamichi, K. Ishida, S. Nakamura, T. Nojima, "Magneto crystalline anisotropy energy in L1₀-type CoPt single crystals", *J. Magn. Mater.* 290 (2005) 566-569.
- K. Inoue, H. Shima, A. Fujita, K. Ishida, K. Oikawa, K. Fukamichi, "Temperature dependence of magnetocrystalline anisotropy constants in the single variant state of L1₀-type FePt bulk single crystal", *Appl. Phys. Lett.* 88 (2006) 102503.

<9/11T マグネット>

- T. Nojima, H. Nagano, H. Maruyama, Y. Watanabe, A. Ochiai, H. Aoki, “Observation of vortex phase transition in MgB₂ single crystals by a magnetic torque method”, Physica C426-431 (2005) 163-168.

<X線>

- Y. K. Kudo, Y. Miyoshi, T. Sasaki, N. Kobayashi, “Hole-doping and magnetic-field effects on the pseudogap in Bi_{1.74}Pb_{0.38}Sr_{1.88}CuO_{6+□} studied by the out-of-plane resistivity”, Physica C 426-431 (2005) 251-256.
- S. Nakamura, H. Yamamoto, M. Endo, H. Aoki, T. Nojima, S. Kunii, “Electrical resistivity of Ce_xLa_{1-x}B₆ in the vicinity of quantum phase transition”, Physica B 359-361 (2005) 71-73.
- O. Suzuki, S. Nakamura, M. Akatsu, Y. Nemoto, T. Goto and S. Kunii “Elastic properties and magnetic phase diagrams of dense Kondo compound Ce_{0.75}La_{0.25}B₆”, J. Phys. Soc., Jpn., 74(2) (2005) pp. 735-741.