

センターからのお知らせ

2006 年度 共同利用成果論文

<SQUID (片平) >

- D. X. Li, S. Nimori, Y. X. Li, Y. Shiokawa, "Magnetic Ordering in Ternary Germanide Nd_2CuGe_6 ", J. Alloys and Compounds 408-412 (2006) 122-126.
- T. Yamamura, D. X. Li, K. Yubuta, Y. Shiokawa, "Crystal Structure and Magnetic State of U_2XSi_3 (X= Fe, Pt)", J. Alloys and Compounds 408-412 (2006) 1324-1328.
- D. X. Li, S. Nimori, Y. Shiokawa, "Random Spin Freezing in Uranium Intermetallic Compound UCuSi ", J. Phys.: Condens. Matter 18 (2006) 3299-3306.
- S. Nimori and D. X. Li, "A Pressure Study of the Magnetization in $\text{La}_3\text{Ir}_2\text{Ge}_2$ and $\text{La}_3\text{Rh}_2\text{Ge}_2$ ", Physica B 378-380 (2006) 413-414.
- D. X. Li, S. Nimori, H. Kitazawa, Y. Shiokawa, "Metastable Magnetic Behavior in Geometrically Frustrated Compound CePdAl", Physica B 378-380 (2006) 805-806.
- D. X. Li, T. Yamamura, S. Nimori, K. Koyama, Y. Shiokawa, "Magnetic Properties of Rare-earth Compounds GdPdIn and TmPdIn", J. Alloys and Compounds 418 (2006) 151-154.
- T. Yamamura, K. Shirasaki, D. X. Li, Y. Shiokawa, "Electrochemical and Spectroscopic Investigations of Uranium(III) with N, N, N',N'-Tetramethylmalonamide in DMF", J. Alloys and Compounds 418 (2006) 139-144.
- S. Nimori and D. X. Li, "Studies of the Reentrant Spin-glass Behavior in Dy_2PdSi_3 ", J. Phys. Soc. Jpn. Suppl. 75 (2006) 195-197.
- EI .Tolis, LP. Engelhardt, PV .Mason, et al, "Studies of an Fe-9 tridiminished," Chemistry-A European Journal 35 (2006) 8961-8968.
- H. Nojiri, K-Y. Choi and N. Kitamura, "Manipulation of the quantum tunneling of nanomagnets by using time-dependent high magnetic fields ", J. Mag. Mag. Matter. 310 (2007) 1468-1972.
- Y. Taguchi, A. Kitora and Y. Iwasa, "Increase in T_c upon reduction of doping in $\text{Li}_{x}\text{ZrNCl}$ superconductors", Phys. Rev. Lett. 97 (2006) 107001_1-4.
- S. Margadonna, K. Prassides, Y. Iwasa, Y. Taguchi, "Potassium phthalocyanine, KPC: one-dimensional molecular stacks bridged by K^+ ions", M. F. Craciun, S. Rogge, and A. F. Morpurgo, Inorg. Chem. 45 (2006) 10472-10478.
- Y. Taguchi, A. Kitora, M. Hisakabe and Y. Iwasa, "Duality in an electron-doped ZrNCl superconductor as revealed by specific heat measurement", Physica B 383 (2006) 67-70.
- Y. Taguchi, T. Miyake, S. Margadonna, K. Kato, K. Prassides and Y. Iwasa, "One-dimensional magnetism and doping effects in metal-phthalocyanine systems", J. of Magn. Magn. Mater. 310 (2007) 1229-1230.
- H. Fujita, Y. Maeji, K. Yamagata, M. Itoh, H. Kezuka, M. Kikuchi, T. Atou and K. Fukuoka,

“Characteristics of a bulk high-critical temperature superconductor fabricated by the shock compaction method: Possible use as a highly sensitive magnetic sensor”, J. Phys. 43 (2006) 1389-1392.

- K. Kudo, Y. Miyoshi, T. Sasaki, T. Nishizaki and N. Kobayashi, “Two Kinds of Pseudogaps in $\text{Bi}_{1.79}\text{Pb}_{0.37}\text{Sr}_{1.86}\text{CuO}_{6+\delta}$ Studied by the Out-of-Plane Resistivity in Magnetic Fields”, J. Phys. Soc. Jpn. 75 (2006) 124710.
- K. Kudo, T. Sasaki, E. Ohmichi, T. Osada, N. Okumura, T. Nishizaki and N. Kobayashi, “Pseudogap closing field of the overdoped $\text{Bi}_{1.79}\text{Pb}_{0.37}\text{Sr}_{1.86}\text{CuO}_{6+\delta}$ investigated by the out-of-plane resistivity in pulsed magnetic fields up to 40 T”, J. Phys., Conf. Ser. 51 (2006) 291.
- K. Kudo, T. Sasaki, E. Ohmichi, T. Osada, Y. Miyoshi and N. Kobayashi, “Pseudogap in Pb-doped Bi2201 Studied by the Out-of-Plane Resistivity in Magnetic Fields up to 40 T”, AIP Conf. Proc. 850 (2006) 505.
- H. Okada, K. Koyama, S. Miura, M. Yamada, T. Goto, Y. Makihara, H. Fujii, K. Watanabe, “Magnetic properties of $\text{Ce}(\text{Fe}_{1-x}\text{Co}_x)_2$ under high pressure”, J. Alloys. Comp. 408 (2006) 144-146.
- J. Tonishi, M. Ueda1, T. Suzuki, A. Oosawa, T. Goto, T. Adachi, Y. Koike, M. Fujita, K. Yamada, “Local structure in single crystals of La-based High-TC Cuprates”, J. of Phys., Conf. Ser. 51 (2006) 275-278.
- T. Suzuki, T. Saito, A. Oosawa, T. Goto, T. Sasaki, S. Awaji, K. Watanabe and N. Kobayashi, “Magnetic field effect on the magnetic torque and the magnetostriction in $(\text{CH}_3)_2\text{CHNH}_3\text{CuC}_{13}$ ”, J. Phys., Conf. Ser. (2006) 187-190.
- T. Fujiwara, A. Oosawa, R. Tsunoda, T. Goto, T. Suzuki, Y. Shindo, H. Tanaka, T. Sasaki, N. Kobayashi, S. Awaji, K. Watanabe, J. “Cu-NMR study on disordered dimer system $(\text{Tl}_{1-x}\text{K}_x)\text{CuC}_{13}$ with the Bose-glass ground state”, J. Phys. Conf. Ser. 51 (2006) 199-202.
- T. Saito, H. Inoue, J. Tonisi, A. Oosawa, T. Goto, T. Sasaki, N. Kobayashi, S. Awaji, K. Watanabe, ”Cl-NMR Study on Field-Induced Magnetic Order in One-Dimensional Antiferromagnet $(\text{CH}_3)_2\text{CHNH}_3\text{CuC}_{13}$ ”, J. Phys. Conf. Ser. 51 (2006) 203-206.
- H. Inoue, T. Saito, S. Tani, S. Hosoya, A. Oosawa, T. Goto, M. Fujisawa, H. Tanaka, T. Sasaki, S. Awaji, K. Watanabe, N. Kobayashi “ $^{35/37}\text{Cl}$, $^{63/65}\text{Cu}$ -NMR Study of the Quantum Spin System $\text{NH}_4\text{CuC}_{13}$ Showing Magnetization Plateaus”, J. Phys., Conf. Ser. 51 (2006) 103-106.
- T. Suzuki, I. Watanabe, A. Oosawa, T. Fujiwara, T. Goto, F. Yamada, H. Tanaka, “Muon-Spin-Relaxation Study on Single Crystals $\text{Tl}_{1-x}\text{K}_x\text{CuC}_{13}$ with $x = 0.2$ ”, J. Phys. Soc. Jpn. 75 (2006) 025001_1-2.
- T. Saito, A. Oosawa, T. Goto, T. Suzuki, I. Watanabe, “Muon spin rotation and relaxation study on the solid solution of the two-spin-gap systems $(\text{CH}_3)_2\text{CHNH}_3\text{-CuC}_{13}$ and $(\text{CH}_3)_2\text{CHNH}_3\text{-CuBr}_3$ ”, Phys. Rev. B 74 (2006) 063637_1-5.
- H. Nishihara, T. Kanomata, Y. Furutani, T. Igarashi, K. Koyama, T. Goto, “NMR properties of half-Heusler CoVSB”, Physica Status Solidi C3 (2006), 2779-2782.
- 大原 智, 樋高英嗣, 張 静, 梅津光央, 名嘉 節, 阿尻雅文, 「コバルトナノ粒子の超臨界水熱合成, 細体および粉末冶金」 Journal of the Japanese Society of Powder and Powder Metallurgy 54 (2007) 635-638.

- T. Adachi, Y. Tanabe, T. Noji, H. Sato, Y. Koike, “Possible phase separation in the overdoped regime of $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ ”, Physica C 445-448 (2006) 14-16.
- Y. Tanabe, T. Adachi, T. Noji, H. Sato, Y. Koike, “Correlated decrease between the superconducting volume fraction and T_c and possible phase separation in the overdoped regime of $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ ”, AIP Conf. Proc. 850 (2006) 419-420.
- Y. Tanabe, T. Adachi, K. Omori, H. Sato, Y. Koike, “Possible microscopic phase separation in the overdoped regime of $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ studied by magnetic susceptibility and electrical resistivity”, Physica C 460-462 (2007) 376-377.
- K. Omori, T. Adachi, Y. Tanabe, Y. Koike, “Possible phase separation in the underdoped $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ studied by the magnetic susceptibility”, Physica C 460-462 (2007) 1184-1185.
- Y. Wang, J. Yan, L. Shan, H. -H. Wen, Y. anabe, T. Adachi, Y. Koike, “Weak-coupling d -wave BCS superconductivity and unpaired electrons in overdoped $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ single crystals”, Phys. Rev. B 76 (2007) 064512_1-6.
- T. Matsumura, D. Okuyama and Y. Murakami, “Non-collinear magnetic structure of TbB_4 ” J. Phys. Soc. Jpn. 76 (2007) 015001_1-2.
- A. Yamamoto, S. Wada and T. Matsumura, “Successive multipole orderings in TmTe probed by $^{125}\text{Te-NMR}$ ”, J. Phys. Soc. Jpn. 76 (2007) 014707_1-7.
- H. Nakao, S. Kodama, K. Kiyoto, Y. Murakami, M. Tsubota, F. Iga, K. Uchihira, T. Takabatake, H. Ohsumi, M. Mizumaki and N. Ikeda, “Resonant X-ray scattering study at Y K-edge in $\text{Y}_{1-x}\text{Ca}_x\text{TiO}_3$ ”, J. Phys. Soc. Jpn. 75 (2006) 094706.
- K. Iwasa, C. Yang, M. Kohgi, H. Sugawara, H. Sato and N. Aso, “Antiferromagnetic ordering in the filled skutterudite semiconductor $\text{CeO}_4\text{Sb}_{12}$ ”, J. Magn. Magn. Mater. 310 (2007) 268-270.
- D. Okuyama, T. Matsumura, K. Iwasa and Y. Murakami, “Magnetic phase transition in HoB_4 studied by neutron diffraction”, J. Magn. Magn. Mater. 310 (2007) 152-154.
- H. Kira, H. Tamura, Y. Ando, M. Onodera, H. Nakao, Y. Murakami, K. Tsuda, K. Ohoyama, S. Yamazaki and T. Tajirin, “Magnetic properties of $\text{LaMnO}_{3+\delta}$ nanocrystals in MCM-41 mesoporous silica”, J. Magn. Magn. Mater. 310 (2007) 2480-2482.
- Y. Murakami, H. Nakao, T. Matsumura and H. Ohsumi , “Mechanism of resonant X-ray scattering to observe the orbital ordering”, J. Magn. Magn. Mater. 310 (2007) 723-729.
- H. Nakao, S. Kodama, K. Kiyoto, D. Bizen, Y. Murakami, M. Tsubota, F. Iga and T. Takabatake , “Metal-insulator transition in $\text{Y}_{1-x}\text{Ca}_x\text{TiO}_3$ studied by X-ray scattering”, J. Magn. Magn. Mater. 310 (2007) 895-897.
- H. Sato, D. Kikuchi, K. Tanaka, H. Aoki, K. Kuwahara, Y. Aoki, M. Kohgi, H. Sugawara and K. Iwasa, “Novel electronic states realized in the filled skutterudites containing rare earth elements with more than one 4f-electrons”, J. Magn. Magn. Mater. 310 (2007) 188-194.
- N. Tatami, Y. Ando, S. Niioka, H. Kira, M. Onodera, H. Nakao, K. Iwasa, Y. Murakami, T. Kakiuchi, Y. Wakabayashi, H. Sawa and S. Itoh, “Orbital ordering and the dilute effect in copper fluoride”, J. Magn. Magn. Mater. 310 (2007) 787-789.

- A. Yamamoto, S. Wada and T. Matsumura, “Pressure effect on the competition between ferromagnetic and antiferromagnetic spin fluctuations in TmTe investigated by $^{125}\text{Te-NMR}$ ”, J. Magn. Magn. Mater. 310 (2007) 741-742.
- D. Bizen, K. Nakatsuka, H. Naka, Y. Murakami, S. Miyasaka and Y. Tokura, “Pressure effects on the orbital ordered state of RVO₃(R=Y,Tb)”, J. Magn. Magn. Mater. 310 (2007) 785-786.
- H. Nakao, K. Kiyoto, S. Kodama, D. Bizen, T. Matsumura, K. Iwasa, Y. Murakami and A. Ochiai, “Charge Ordered State in Yb₄As₃ Studied by a Resonant X-ray Scattering Technique”, AIP Conf. Proc. 850 (2006) 1175-1176.
- H. Kira, H. Tamura, Y. Ando, M. Onodera, Y. Murakami, S. Yamazaki, T. Tajiri and H. Deguchi ,“Magnetic Properties of LaMnO₃ Nanocrystal Encapsulated in MCM-41”, AIP Conf. Proc. 850 (2006) 1157-1158.
- K. Iwasa, M. Kohgi, H. Sugawara and H. Sato, “Large softening of acoustic phonons in PrOs₄Sb₁₂”, Physica B 378-380 (2006) 194-196.
- L. Hao, K. Iwasa, T. Hasegawa, T. Takagi, K. Horiuchi, Y. Mori, Y. Murakami, K. Kuwahara, M. Kohgi, H. Sugawara, S. R.Saha, Y. Aoki and H. Sato, “p-f hybridization effect on the metal?nonmetal phase transition in PrRu₄P₁₂”, Physica B 378-380 (2006) 204-205.
- D. Okuyama, T. Matsumura, H. Nakao and Y. Murakami, “Quadrupolar order and structural phase transition in DyB₄ with geometrical frustration”, J. Phys. Soc. Jpn. suppl. 75 (2006) 198-200.
- D. Okuyama, T. Matsumura, H. Nakao, Y. Murakami, Y. Wakabayashi, A. Tobo and H. Onodera, “Field-induced antiferroquadrupolar order in TbB₂C₂ observed by resonant X-ray scattering”, Physica B 378-380 (2006) 488-489.
- I. Jarrige, J.-P. Rueff, S. R. Shieh, T. Matsumura, H. Ishii, N. Hiraoka and Y. Q. Cai, “f-level occupancy in TmTe under pressure investigated by high-resolution x-ray absorption spectroscopy”, Physica B 378-380 (2006)1154-1155.
- T. Matsumura, H. Ishida and M. Nishi, “Magnetic excitation of TmTe in the anomalous metallic state under high pressure”, Physica B 385-386 (2006) 356-358.
- A. Yamamoto, T. Mito, S. Wada and T. Matsumura, “Physical properties of TmTe at low temperatures investigated by $^{125}\text{Te-NMR}$ ”, Physica B 378-380 (2006) 1093-1094.
- J. Ju, J. Sasaki, T. Yang, S. Kasamatsu, E. Negishi, G. Li, J. Lin, H. Nojiri, T. Rachi, K. Tanigaki, N. Toyota, “Ferromagnetic ordering in a new nickel polyborate NiB₁₂O₁₄(OH)₁₀”, Royal Soc. Chem. (2006) 1597-1601.
- M. Mansori, A. Yoshikawa, C. Favotto, P. Satre, T. Nojima, M. Kikuchi and T. Fukuda, “Bi-2201, Bi-2212 and (Bi,Pb)-2223 fibers have been grown using the micro-pulling down (μ -PD) technique”, Physica C 449, No. 1 (2006) 9-14.

<SQUID (青葉山) >

- J. Ju., J. Sasaki, T. Yang, S. Kasamatsu, E. Negishi, G. Li, J. Lin, H. Nojiri, T. Rachi, K. Tanigaki, N.

Toyota, "Ferromagnetic ordering in a new nickel polyborate $\text{NiB}_{12}\text{O}_{14}(\text{OH})_{10}$ ", DALTON TRANSACTIONS 13 (2006) 1597-1601.

- J. Ju, J. Sasaki, S. Kasamatsu, G. Li, J. Lin and N. Toyota, "Metamagnetic phase transition in a new transition metal polyborate, $\text{CoB}_{12}\text{O}_{14}(\text{OH})_{10}$ ", J. Phys.: Conf. Ser. 51 (2006) 363-366.
- M. Akada, T. Hirai, J. Takeuchi, T. Yamamoto, R. Kumashiro, and K. Tanigaki, "Superconducting phase sequence in R_xC_{60} fullerides (R=Sm and Yb)", Phys. Rev. B 73 (2006) 094509.
- T. Rachi, K. Tanigaki, R. Kumashiro, K. Kobayashi, H. Yoshino, K. Murata, H. Fukuoka, S. Yamanaka, H. Shimotani, T. Takenobu, Y. Iwasa, T. Sasaki, N. Kobayashi, Y. Miyazaki and K. Saito, "Specific heat capacity and magnetic susceptibility of superconducting $\text{Ba}_{24}\text{Si}_{100}$ ", J. Physics and Chemistry of Solids 67 (2006) 1334–1337.
- J. Ju, J. Sasaki, T. Yang, S. Kasamatsu, E. Negishi, G. Li, J. Lin, H. Nojiri, T.Rachi, K. Tanigaki and N. Toyota, "Ferromagnetic ordering in a new nickel polyborate $\text{NiB}_{12}\text{O}_{14}(\text{OH})_{10}$ ", Dalton Trans (2006) 1597-1601.
- H. Tanida, H. S. Suzuki, S. Takagi, H. Onodera and K. Tanigaki, "Possible Low-Temperature Strongly Correlated Electron Behavior from Multipole Fluctuations in PrMg_3 with Cubic Non-Kramers Doublet Ground State" J. Phys. Soc. Jpn. 75 (2006) 073705.
- T. Rachi, R. Kumashiro, K. Tanigaki, H. Fukuoka and S. Yamanaka, "Sp3-network superconductors made from IVth-group elements", Sci. Tech. Ad. Mater. Special Issue (2006).
- M. Akada, T. Hirai, J. Takeuchi, T. Yamamoto, R. Kumashiro and K. Tanigaki, "Superconductivity Appearing from C_{60} Doped with Rare-earth Metals", Sci. Tech. Ad. Mater., Special Issue (2006).
- M. Akada, T. Yamamoto, R. Kumashiro, A. Hojyo, H. Matsui, N. Toyota, J. P.Lu and K. Tanigaki, "ELECTRIC TRANSPORT AND MODULATED DENSITY OF STATES IN ROTATIONAL ORDER AND DISORDER IN $\text{Na}_2\text{CsC}_{60}$ ", Multifunctional Conducting Molecular Materials, eds. G. Saito et al., Royal Society of Chemistry, Cambridge, U.K. (2006).
- M. Akada, T. Hirai, J. Takeuchi, N. Hiroshima, R. Kumashiro, T. Yamamoto and K. Tanigaki, "SUPERCONDUCTING PHASE MADE FROM C_{60} DOPED WITH LANTHANUM", Multifunctional Conducting Molecular Materials, eds. G. Saito et al., Royal Society of Chemistry, Cambridge, U.K. (2006).
- H. Kira, H. Tamura, Y. Ando, M. Onodera, Y. Murakami, S. Yamazaki, T. Tajiri and H. Deguchi , "Magnetic Properties of LaMnO_3 Nanocrystal Encapsulated in MCM-41", AIP Conf. Proc. 850 (2006) 1157-1158.
- K. Iwasa, M. Kohgi, H. Sugawara and H. Sato, "Large softening of acoustic phonons in $\text{PrOs}_4\text{Sb}_{12}$ ", Physica B 378-380 (2006) 194-196.
- L. Hao, K. Iwasa, T. Hasegawa, T. Takagi, K. Horiuchi, Y. Mori, Y. Murakami, K. Kuwahara, M. Kohgi, H. Sugawara, S. R.Saha, Y. Aoki and H. Sato, "p-f hybridization effect on the metal-nonmetal phase transition in $\text{PrRu}_4\text{P}_{12}$ ", Physica B 378-380 (2006) 204-205.
- D. Okuyama, T. Matsumura, H. Nakao and Y. Murakami, "Quadrupolar order and structural phase transition in DyB_4 with geometrical frustration", J. Phys. Soc. Jpn. 75 suppl. (2006) 198-200

- M. Endo, S. Nakamura, T. Isshiki, N. Kimura, T. Nojima, H. Aoki, H. Harima, S. Kunii, “Evolution of Fermi surface Properties in $\text{Ce}_x\text{La}_{1-x}\text{B}_6$ and $\text{Pr}_x\text{La}_{1-x}\text{B}_6$ ”, J. Phys. Soc. Jpn. 75 (2006) 114704-1-10.
- S. Nakamura, M. Endo, H. Yamamoto, T. Isshiki, N. Kimura, H. Aoki, T. Nojima, S. Otani, S. Kunii, “Unusual evolution of conduction electron state in $\text{Ce}_x\text{La}_{1-x}\text{B}_6$ from non-Fermi liquid to Fermi liquid”, Phys. Rev. Lett. 97 (2006) 237204-1-4.
- T. Terashima, K. Enomoto, T. Konoike, T. Matsumoto, S. Uji, N. Kimura, M. Endo, T. Komatsubara, H. Aoki, K. Maezawa, “Magnetic-field and pressure dependence low-temperature resistivity in UGe_2 ”, Phys. Rev. B 73 (2006) 140406_1-4.
- S. Nakamura, H. Yamamoto, M. Endo, H. Aoki, N. Kimura, T. Nojima, S. Kunii, “Non Fermi liquid and heavy fermion behavior in $\text{Ce}_x\text{La}_{1-x}\text{B}_6$ with quadrupolar moments”, Physica B 378-380 (2006) 148-149.
- M. Endo, T. Isshiki, N. Kimura, H. Aoki, S. Kunii, “De Hass-van Alphen effect of PrB_6 in commensurate and incommensurate phases”, Physica B 378-380 (2006) 607-609.
- M. Sugi, T. Fujiwara, T. Isshiki, N. Kimura, T. Komatsubara, H. Aoki, “Metamagnetic transitions and electronic structures of $\text{CeRu}_2(\text{Si}_{1-x}\text{Ge}_x)_2$ ”, Physica B 378-380 (2006) 810-811.
- T. Fujiwara, M. Sugi, N. Kimura, I. Satoh, T. Komatsubara, H. Aoki, “Single crystal growth and magnetic properties of CeAu_2Si_2 ”, Physica B 378-380 (2006) 812-814.
- T. Isshiki, M. Endo, M. Sugi, N. Kimura, S. Nakamura, T. Nojima, H. Aoki, S. Kunii, “Spin-split Fermi surfaces in $\text{Ce}_x\text{La}_{1-x}\text{B}_6$ and $\text{Pr}_x\text{La}_{1-x}\text{B}_6$ ”, Physica B 378-380 (2006) 605-606.
- T. Nojima, H. Nagano, A. Ochiai, H. Aoki, B. Kang, S. I. Lee, “Anomalous field dependence of anisotropy observed in MgB_2 single crystals with a torque methods”, Physica C 445-448 (2006) 42-45.
- K. Katoh, T. Tsutsumi, K. Yamada, G. Terui, Y. Niide, A. Ochiai, “Magnetic and transport properties of $\text{Yb}_5\text{T}_4\text{Ge}_{10}$ ($\text{T} = \text{Co, Rh, Ir}$)”, Physica B 373 (2006) 111-119.
- V.I. Zaremba, U. C. Rodewald, M. Y. Lukachuk, V. P. Dubensky, B. Heying, K. Katoh, Y. Niide, A. Ochiai, R. Pottgen, “Transition metal centered trigonal prisms as building units in various rare earth-transitionmetal-indides”, MONATSHEFTE FUR CHEMIE 137 (2006) 249-261.
- H. Kobayashi, Y. Yoda, M. Shirakawa, A. Ochiai, “ ^{151}Eu nuclear resonant inelastic scattering of Eu_4As_3 around charge ordering temperature”, J. Phys. Soc. Jpn. 75 (2006) 034602_1-6.
- H. Akita, G. Yoshino, A. Ochiai, “Crystalline-electric field of $\text{Pr}(\text{Os}_{1-x}\text{Ru}_x)_4\text{Sb}_{12}$ ”, Physica B 378-380 (2006) 197-198.
- P. A. Alekseev, J.-M. Mignot, E. V. Nefedova, K. S. Nemkovski, V. N. Lazukov, N. N. Tiden, A. P. Menushenkov, R. V. Chernikov, K. V. Klementiev, A. Ochiai, A. V. Golubkov, R. I. Bewley, A. V. Rybina, I. P. Sadikov, “Magnetic spectral response and lattice properties in mixed-valence $\text{Sm}_{1-x}\text{Y}_x\text{S}$ solid solutions studied with X-ray diffraction, X-ray absorption spectroscopy, and inelastic neutron scattering”, Phys. Rev. B 74 (2006) 035114_1-13.
- E. Matsuoka, Y. Sasaki, D. Usui, M. Nakagawa, and H. Onodera, “Possible Antiferro-Octupolar Order in Antiferromagnetic TbB_2C_2 Examined by Gd Substitution”, J. Phys. Soc. Jpn. 75 (2006) 123707.

- H. Tanida, S. Takagi, H. S. Suzuki, I. Satoh and T. Komatsubara, “Anomalous Enhancement of Nuclear Spin Relaxation Rates of ^{109}Ag and ^{115}In at Low Temperatures in Cubic Γ_3 Ground-State System PrAg₂In—First Observation of Octupole Fluctuations of f-Electrons—”, J. Phys. Soc. Jpn. 75 (2006) 074721.
- M. Haino, A. Tobe, E. Matasuoka, K. Ohoyama, and H. Onodera, “Magnetic Phase Diagrams of Y-Diluted Antiferromagnet Tb_{1-x}Y_xB₂C₂ ($0.2 \leq x \leq 0.5$)”, J. Phys. Soc. Jpn., 75 (2006) 074704_1-9.
- H. Tanida, H. S. Suzuki, S. Takagi, H. Onodera and K. Tanigaki, “Possible Low-Temperature Strongly Correlated Electron Behavior from Multipole Fluctuations in PrMg₃ with Cubic Non-Kramers Γ_3 Doublet Ground State”, J. Phys. Soc. Jpn. 75 (2006) 073705_1-5.
- H. Tanida, S. Takagi, H. S. Suzuki, I. Satoh and T. Komatsubara, “ ^{115}In NMR studies of PrAg₂In with the cubic Γ_3 ground state”, Physica B 378-380 (2006) 679-680.
- K. Saino, K. Indo, J. Kaya, A. Tobe, and H. Onodera, “Spontaneous magnetizations and phase diagram of Dy_{1-x}Gd_xB₂C₂”, Physica B 378-380 (2006) 486-487.
- H. Onodera, K. Indoh, A. Tobe, and K. Ohoyama, “Magnetic phase diagrams of Dy_{1-x}Y_xB₂C₂ ($x=0.4$ and 0.5)”, Physica B 378-380 (2006) 483-485.

<VSM>

- H. Yabuta, K. Umeo, T. Takabatake, K. Koyama and K. Watanabe, “Temperature- and field-induced first-order ferromagnetic transitions in MnFe(P_{1-x}Ge_x)”, J. Phys. Soc. Jpn 75 (2006) 113707_1-4.
- K. Koyama, K. Watanabe, T. Kanomata, R. Kainuma, K. Oikawa and K. Ishida, “Observation of magnetic field-induced reverse transformation in ferromagnetic shape memory alloy Ni₅₀Mn₃₆Sn₁₄”, Appl. Phys. Lett. 88 (2006) 132505_1-3.
- X.Y. Lu, A. Nagata, K. Sugawara, K. Watanabe and T. Nojima, “Bi-based superconductors fabricated in high magnetic fields”, Trans. Nonferrous Met. Soc. China 16 (July 2006) S11-S19.
- X.Y. Lu, A. Nagata, K. Sugawara, K. Watanabe, T. Nojima, “Microstructure and superconducting properties of Bi-2223/Ag tapes fabricated in high magnetic fields”, Journal of Physics: Conference Series 51 (2006) 287-290.
- T. Sakon, S. Saito, K. Koyama, S. Awaji, I. Sato, T. Nojima, K. Watanabe, M. Motokawa, N.K. Sato, “Magnetic anisotropy study of UGe₂ in a static high magnetic field”, Journal of Physics: Conference Series 51 (2006) p.255-258.

<9/11T マグネット>

- T. Nojima, H. Nagano, A. Ochiai, H. Aoki, B. Kang, S.-I. Lee, “Anomalous field dependence of anisotropy observed in MgB₂ single crystals with a torque method”, Physica C 445-448 (2006) 42-45.
- T. Nojima, T. Hyodo, S. Nakamura, and N. Kobayashi, “Phase Transition from Superconducting to Normal State Induced by Spin Injection in Manganite/Cuprate/Au Double Tunnel Junctions”, AIP Conference Proceedings Volume 850 (2006) 885-886.

<³He クライオスタート>

- A. Ochiai, H. Akita, G. Yoshino, S. Nakamura, T. Nojima, “Heavyfermion Behavior in Electrical Resistivity of Pr(Os_{1-x}Ru_x)₄Sb₁₂”, J. Mag. Mag. Mat. 310 (Mar 2007) 258-259.
- H. Onodera, A. Hino, K. Ohoyama, E. Matsuoka, T. Nojima, “Magnetization process of tetragonal antiferromagnet ErB₂C₂”, J. Mag. Mag. Mat. 310 (Mar 2007) 1724-1726.

<X線>

- K. Kudo, Y. Miyoshi, T. Sasaki, T. Nishizaki and N. Kobayashi, “Two Kinds of Pseudogaps in Bi_{1.79}Pb_{0.37}Sr_{1.86}CuO_{6+δ} Studied by the Out-of-Plane Resistivity in Magnetic Fields”, J. Phys. Soc. Jpn. 75 (2006) 124710.
- K. Kudo, T. Sasaki, E. Ohmichi, T. Osada, N. Okumura, T. Nishizaki and N. Kobayashi, “Pseudogap closing field of the overdoped Bi_{1.79}Pb_{0.37}Sr_{1.86}CuO_{6+δ} investigated by the out-of-plane resistivity in pulsed magnetic fields up to 40 T”, J. Phys.: Conf. Ser. 51 (2006) 291.
- K. Kudo, T. Sasaki, E. Ohmichi, T. Osada, Y. Miyoshi and N. Kobayashi, “Pseudogap in Pb-doped Bi₂₂₀₁ Studied by the Out-of-Plane Resistivity in Magnetic Fields up to 40 T”, AIP Conf. Proc. 850 (2006) 505.