

センターからのお知らせ

2014 年度共同利用成果

<SQUID 磁化測定装置（青葉山）>

- Marcel Gueltig, Hinnerk Ossmer, Makoto Ohtsuka, Hiroyuki Miki, Koki Tsuchiya, Toshiyuki Takagi, Manfred Kohl, “High Frequency Thermal Energy Harvesting Using Magnetic Shape Memory Films”, Advanced Energy Materials 4(17) (2014) 1400751-1-8.
- N. Kimura, H. Ogi, K. Satoh, G. Ohsaki, K. Saitoh, H. Iida, H. Aoki, “Robust Zero Resistance under Magnetic Fields in Non-Centrosymmetric Superconductor LaRhSi₃”, JPS Conference Proceedings 3 (2014) 015011.
- H. Aoki, N. Kimura, T. Terashima, “Fermi Surface Properties, Metamagnetic Transition and Quantum Phase Transition of CeRu₂Si₂ and Its Alloys Probed by the dHvA Effect”, J. Phys. Soc. Jpn. 83 (2014) 072001.
- S. Nakamura, S. Toyoshima, N. Kabeya, K. Katoh, T. Nojima, A. Ochiai, “Low temperature properties of Yb₃Ru₄Al₁₂ with layered structure”, JPS Conference Proceedings 3 (2014) 014004.

<SQUID 磁化測定装置（片平）>

- D. X. Li, T. Yamamura, S. Nimori, Y. Homma, F. Honda, Y. Haga and D. Aoki, “Large reversible magnetocaloric effect in ferromagnetic semiconductor EuS”, Solid State Communs. 193 (2014) 6-10.
- R.Y. Umetsu, X. Xu, W. Ito, T. Kihara, M. Tokunaga, K. Takahashi, T. Kanomata and R. Kainuma, “Magnetic-field-induced martensitic transformation and thermally arrested behavior in low temperature for Ni₄₁Co₉Mn₃₉Sb₁₁ alloy” Metals, Special issue on Metals in Shape Memory Alloys 2014, ed. by K.R.A. Ziebeck, 4 (2014) 609-622.
- R.Y. Umetsu, A. Okubo, X. Xu, and R. Kainuma, “Magnetic properties and phase stability of Co₂Cr(Ga,Si) Heusler alloys”, J. Alloys Compds, 588 (2014) 153-157.
- W. Zhang, A. Kazahari, K. Yubuta, A. Makino, Y. Wang, R. Umetsu, Y. Li, “Effect of P

addition on the structure and magnetic properties of melt-spun Fe–Pt–B alloy”, J. Alloys Compds, 586 (2014) S294-S297.

- R. Y. Umetsu, A. Okubo, M. Nagasako, M. Otsuka, R. Kainuma and K. Ishida, “Phase stability of the L₂₁ phase in Co-based Heusler alloys”, SPIN, Special issue on Heusler-Alloy Films and Devices, ed. by C. Felser and A. Hirohata, Vol. 4, No. 3 (2014) 1440018 (14 pages).
- S. Matsuzawa, K. Tazoe, H. Nojiri, F. Iijima and H. Oshio, “Correlation Among Charge, Dielectric and Magnetic Properties in Electron Transfer Type Spin Crossover Systems”, Chem. Lett. 43(2014) 1173-1175.
- S. Kang, H. Zheng, T. Liu, K. Hamachi, S. Kanegawa, K. Sugimoto, Y. Shiota, S. Hayami, M. Mito, T. Nakamura, M. Nakano, M. L. Baker, H. Nojiri, K. Yoshizawa, C. Duan and O. Sato, “A Ferromagnetically Coupled Fe₄₂ Cyanide-Bridged Nanocage”, Nat. Commun. 6 (2015) 5955-1-6.
- X. Xu, M. Nagasako, M. Kataoka, R. Y. Umetsu, T. Omori, T. Kanomata and R. Kainuma, “Anomalous physical properties of Heusler-type Co₂Cr(Ga,Si) alloys and thermodynamic study on reentrant martensitic transformation”. Phys. Rev. B 91 (2015) 104434.
- K. Hirata, X. Xu, T. Omori, M. Nagasako, and R. Kainuma, “Martensitic transformation and superelasticity in off-stoichiometric Co₂Cr(AlSi) Heusler alloys”, JALCOM 642 (2015) 200-203.
- A. Daidai, N. Kawano, M. Koshimizu, Y. Fujimoto, and K. Asai, “Fabrication of self-organized one-dimensional diluted magnetic semiconductors”, Proceedings of the 25th Symposium of Association for Condensed Matter Photophysics (2014) 173-176.
- Y. Aoyama, M. Koshimizu, Y. Fujimoto, and K. Asai, “Preparation and characterization of two-dimensional diluted magnetic semiconductors using organic-inorganic perovskite-type compounds”, Proceedings of the 25th Symposium of Association for Condensed Matter Photophysics (2014) 185-188.
- J. Fukushima, H. Yamato and H. Takizawa, “STRUCTURE AND MAGNETIC PROPERTY OF FeAl₂O₄ SYNTHESIZED BY MICROWAVE HEATING”, Ceramic

Transactions (2014).

- Masafumi Nakaya, Ryo Nishida, Atsushi Muramatsu, "Size Control of Magnetite Nanoparticles in Excess Ligands as a Function of Reaction Temperature and Time", Molecules 19 (2014) 11395-11403.
- 西田怜, 中谷昌史, 村松淳司“酸化鉄ナノ粒子を出発物質とした高性能磁性ナノ粒子の調製”, ナノ学会会報 13(1) (2014) 37-41.
- A. Hotta, T. Ono, M. Hatayama, K. Tsumura, N. Kikuchi, S. Okamoto, O. Kitakami, and T. Shimatsu, "Magnetic anisotropy and order structure of L1₀-FePt(001) single-crystal films grown epitaxially on (001) planes of MgO, SrTiO₃, and MgAl₂O₄ substrates", J. Appl. Phys. 115 (2014) 17B712.
- T. Ono, T. Moriya, M. Hatayama, N. Kikuchi, S. Okamoto, O. Kitakami, and T. Shimatsu , "Granular nanostructures and magnetic characteristics of FePt-TiO₂/FePt-C stacked granular films", J. Appl. Phys. 115 (2014) 17B709.
- S. Fujieda, K. Fukamichi and S. Suzuki, "Suppression of aqueous corrosion of La(Fe_{0.88}Si_{0.12})₁₃ by reducing dissolved oxygen concentration for high-performance magnetic refrigeration", J. Alloys Compd. 600 (2014) 67-70.
- S. Fujieda, S. Suzuki, A. Minato, T. Fukuda and T. Ueno, "Growth of Fe-Ga alloy single crystals by the Czochralski method and their application to vibration power generator", IEEE Trans. Magn. 50 (2014) 2505204.
- S. Nakamura, S. Toyoshima, N. Kabeya, K. Katoh, T. Nojima, A. Ochiai, "Low Temperature Properties of Yb₃Ru₄Al₁₂ with Layered Structure", JPS conf. proc. 3 (2014) 014004-1-6.
- K. Edalati, T. Daio, S. Lee, Z. Horita, T. Nishizaki, T. Akune, T. Nojima, T. Sasaki, "High strength and superconductivity in nanostructured niobium–titanium alloy by high-pressure torsion and annealing: Significance of elemental decomposition and supersaturation", Acta Mater. 80 (2014) 149-158.
- S. Nakamura, S. Toyoshima, N. Kabeya, K. Katoh, T. Nojima, A. Ochiai, "Low

temperature properties of $\text{Yb}_3\text{Ru}_4\text{Al}_{12}$ with layered structure”, JPS Conference Proceedings 3 (2014) 014004.

<走査型 SQUID 顕微鏡（片平）>

- N. Kokubo, S. Okayasu, T. Nojima, H. Tamochi, and B. Shinozaki, “Direct Imaging of Vortex Polygons and Vortex Shells in Mesoscopic Squares of a Weak Pinning Superconducting Thin Film”, J. Phys. Soc. Jpn. 83 (2014) 083704-1-5.